AMENDMENTS TO THE CLAIMS

The claims in this listing will replace all prior versions, and listings, of the claims in the present application

Claims as amended:

1. (Currently Amended)   A coding method of an excitation vector ~~waveform of a~~ of a stochastic codebook that is used in a coding apparatus and that is divided into a plurality of channels ~~capable of outputting a plurality of excitation vector waveforms, wherein said~~ the coding method ~~associates~~ comprising:

associating an excitation vector waveform candidate of a predetermined channel with a waveform number of an excitation vector waveform candidate of another channel, or an operation result of a numerical value used to acquire the waveform number;

searching for ~~and makes a code of~~ an excitation vector waveform ~~searched for by means of a predetermined algorithm a code of an~~ that minimizes coding distortion using the associated excitation vector waveform candidate of the predetermined channel and the excitation vector ~~of a codebook~~ waveform candidate of another channel; and

determining a code of the excitation vector of the stochastic codebook using a code of the excitation vector waveform obtained by the searching.

2. (Currently Amended)   The coding method according to claim 1, wherein searching for an excitation vector waveform ~~is~~ comprises searching by ~~searched for by means of~~ a search algorithm of n-fold loops ~~(where n is a number of channels)~~ that changes an excitation vector waveform candidate within a loop in accordance with an excitation vector waveform candidate outside a loop, where n is a number of channels.

3. (Original) The coding method according to claim 1, wherein a codebook is a stochastic codebook used in CELP.

4. (Original) The coding method according to claim 3, wherein a stochastic codebook is an algebraic codebook, and an excitation vector waveform candidate is represented by a pulse position.

5. (Currently Amended) The coding method according to claim 1, wherein ~~an excitation vector waveform candidate of a predetermined channel is associated by a multiplication~~ the operation result <u>is a remainder operation result</u> ~~of a number representing an excitation vector waveform candidate of another channel~~.

6. (Currently Amended) The coding method according to claim 5, wherein ~~a multiplication~~ <u>the remainder</u> operation result is associated with an index of a pulse position candidate group indicating an excitation vector waveform candidate of a predetermined channel .

7. (Currently Amended) The coding method according to claim 5, wherein ~~a multiplication~~ <u>the remainder</u> operation result is associated with a pulse position indicating an excitation vector waveform candidate of a predetermined channel.

8. (Currently Amended) The coding method according to claim 6, wherein association is performed by addition of ~~multiplication~~ <u>remainder</u> operation results.

9. (Original) A speech coding apparatus that codes an excitation vector of a codebook by means of the coding method according to claim 1.

10. (Original) A speech decoding apparatus that performs decoding of an excitation vector of a codebook corresponding to the coding method according to claim 1.